Sy

Notice of Allowability	Application No.	Applicant(s)	
	10/662,372	KOBAYASHI ET AL.	
	Examiner	Art Unit	
	Josiah Cocks	3749	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to papers filed through October 26, 2007.			
2. 🔀 The allowed claim(s) is/are <u>1-20</u> .			
 Acknowledgment is made of a claim for foreign priority ur a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority do International Bureau (PCT Rule 17.2(a)). * Certified copies not received:	e been received. e been received in Application No		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.			
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
5. X CORRECTED DRAWINGS (as "replacement sheets") must be submitted.			
(a) 🔲 including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached			
1) 🗍 hereto or 2) 🗍 to Paper No./Mail Date			
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date <u>see attached</u> .			
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t	.84(c)) should be written on the drawir he header according to 37 CFR 1.121(d	ngs in the front (not the back) of d).	
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
Attachment(s)	5. \[\] Notice of Informal P	atent Application	
 Notice of References Cited (PTO-892) Notice of Draftperson's Patent Drawing Review (PTO-948) 	6. ☐ Interview Summary	• •	
3. Information Disclosure Statements (PTO/SB/08), 3. The statement of Disclosure Statements (PTO/SB/08), 3. The statement of Disclosure Statement o	Paper No./Mail Dat 7. 🔯 Examiner's Amendr	te	
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit	_ ,	8. Examiner's Statement of Reasons for Allowance	
of Biological Material			
	9.	osiah Cocks Primary Examiner Art Unit 3749	

10/662,372

Art Unit: 3749

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Donald Black on January 2, 2008.

The following amendment is made to dependent claim 2 to require that the nitrogen-rich gas is fed to both of the means for supplying secondary air and tertiary air so as to be properly dependent upon independent claim 1, which requires that the nitrogen-rich gas is fed into the means for supplying secondary air.

2. The application has been amended as follows:

IN THE CLAIMS:

In claim 2, line 5, after the term "through" deleted the phrase "one or".

Allowable Subject Matter

3. Claims 1-20 are allowed.

Application/Control Number:

10/662,372 Art Unit: 3749

Drawings

4. New corrected drawings in compliance with 37 CFR 1.121(d) are required in this application because claim 2 requires that the nitrogen-rich gas is fed to both the means for supplying secondary air and the means for supplying tertiary air, however, none of the drawings, including newly submitted drawing Fig. 2a, show the step of adding the nitrogen-rich gas to the means for supplying tertiary air. Applicant should properly show nitrogen-rich gas being added to the means for supplying tertiary air in the same manner as shown as the nitrogen-rich gas being added to the means for supplying secondary air illustrated in Fig. 2a.

Applicant is advised to employ the services of a competent patent draftsperson outside the Office, as the U.S. Patent and Trademark Office no longer prepares new drawings. The corrected drawings are required in reply to the Office action to avoid abandonment of the application. The requirement for corrected drawings will not be held in abeyance.

As allowable subject matter has been indicated, applicant's reply must either comply with all formal requirements or specifically traverse each requirement not complied with. See 37 CFR 1.111(b) and MPEP § 707.07(a).

INFORMATION ON HOW TO EFFECT DRAWING CHANGES

Replacement Drawing Sheets

Drawing changes must be made by presenting replacement sheets which incorporate the desired changes and which comply with 37 CFR 1.84. An explanation of the changes made must be presented either in the drawing amendments section, or remarks, section of the amendment paper. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). A replacement sheet must include all of the figures appearing on the immediate prior version of the

10/662,372 Art Unit: 3749

sheet, even if only one figure is being amended. The figure or figure number of the amended drawing(s) must not be labeled as "amended." If the changes to the drawing figure(s) are not accepted by the examiner, applicant will be notified of any required corrective action in the next Office action. No further drawing submission will be required, unless applicant is notified.

Identifying indicia, if provided, should include the title of the invention, inventor's name, and application number, or docket number (if any) if an application number has not been assigned to the application. If this information is provided, it must be placed on the front of each sheet and within the top margin.

Annotated Drawing Sheets

A marked-up copy of any amended drawing figure, including annotations indicating the changes made, may be submitted or required by the examiner. The annotated drawing sheet(s) must be clearly labeled as "Annotated Sheet" and must be presented in the amendment or remarks section that explains the change(s) to the drawings.

Timing of Corrections

Applicant is required to submit acceptable corrected drawings within the time period set in the Office action. See 37 CFR 1.85(a). Failure to take corrective action within the set period will result in ABANDONMENT of the application.

If corrected drawings are required in a Notice of Allowability (PTOL-37), the new drawings MUST be filed within the THREE MONTH shortened statutory period set for reply in the "Notice of Allowability." Extensions of time may NOT be obtained under the provisions of 37 CFR 1.136 for filing the corrected drawings after the mailing of a Notice of Allowability.

USPTO Contact Information

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Josiah Cocks whose telephone number is (571) 272-4874. The examiner can normally be reached on M-F 8:00-5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Steven McAllister, can be reached (571) 272-6785. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Page 5

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

jcc

January 2, 2008

JOSIAH COCKS

PRIMARY EXAMINER
ART UNIT 3749